

IN THE CLAIMS

Please amend the claims as follows where a copy of the claims with the amendments delineated are set forth below in accordance with the PTO guidelines. This listing of claims will replace all prior versions, and listings, of claims in this application.

1. (Currently Amended) A computer implemented method for dynamically rendering data in a markup language, the method comprising:

identifying a symbol in the data in the markup language, the symbol indicating a query of

a data set, the query containing one or more variables, each variable of one of a plurality of data types;

augmenting the markup language to support the variables;

accessing the data set in order to generate a resolution to the query; ~~and~~

substituting the resolution for the query; and

dynamically rendering the resolution ~~to the query~~ as a part of the markup language,

according to at least one rule associated with the markup language wherein said symbol can be used to dynamically render multiple data sets.
2. (Original) The method of claim 1, wherein:

the symbol comprises a delimited token.
3. (Original) The method of claim 1 wherein:

the symbol is located within the data in the markup language such that the query is

associated with a markup language tag.
4. (Original) The method of claim 3 wherein:

the markup language comprises Hyper Text Markup Language.

5. (Currently Amended) The method of claim 3 wherein rendering further comprises:
rendering the resolution of the query according to at least one rule associated with the
markup language tag with which the query is associated.
6. (Original) The method of claim 1 wherein:
the data set comprises a set of at least one document in a hierarchically structured format.
7. (Original) The method of claim 6 wherein:
the hierarchically structured format comprises Extensible Markup Language.
8. (Original) The method of claim 7 wherein:
the symbol conforms an Extensible Markup Language standard concerning queries.
9. (Original) The method of claim 1 wherein:
the data set comprises a database.
10. (Canceled)
11. (Original) The method of claim 1 wherein:
rendering is performed by software running on a hand held computing device.
12. (Original) The method of claim 1 further comprising:
generating a resolution to the query by retrieving a node set from a set of documents in
Extensible Markup Language; and
rendering each member of the node set.
13. (Canceled)
14. (Currently Amended) The method of claim [[13]] 1 wherein:
each variable contained in the query comprises a delimited token.
- 15-16. (Canceled)

17. (Original) The method of claim 1 wherein rendering the resolution further comprises:

updating the data set.

18. (Original) The method of claim 17 wherein updating the data set further comprises: writing to a set of at least one document in Extensible Markup Language.

19. (Currently Amended) A computer program product for dynamically rendering data in a markup language, the computer program product comprising:

program code for identifying a symbol in the data in the markup language, the symbol

indicating a query of a data set, the query containing one or more variables, each variable of one of a plurality of data types;

program code for augmenting the markup language to support the variables;

program code for accessing the data set in order to generate a resolution to the query;

program code for substituting the resolution for the query;

program code for dynamically rendering the resolution ~~to the query~~ as a part of the

markup language, according to at least one rule associated with the markup

language wherein said symbol can be used to dynamically render multiple data sets; and

a computer readable medium on which the program codes are stored.

20. (Currently Amended) The computer program product of claim 19 further comprising:

program code for rendering the resolution ~~of the query~~ according to at least one rule

associated with a markup language tag with which the query is associated.

21. (Original) The computer program product of claim 19 further comprising:

program code for generating a resolution to the query by retrieving a node set from a set
of documents in Extensible Markup Language; and

program code for rendering each member of the node set.

22. (Original) The computer program product of claim 19 further comprising:

program code for updating the data set.

23. (Original) The computer program product of claim 22 wherein the program code for updating the data set further comprises:

program code for writing to a set of at least one document in Extensible Markup

Language.

24. (Currently Amended) A computer system for dynamically rendering data in a markup language, the computer system comprising:

an identification module, for identifying a symbol in the data in the markup language, the symbol indicating a query of a data set, the query containing one or more variables, each variable of one of a plurality of data types, the identification module further adapted to augment the markup language to support the variables;

a data access module, for accessing the data set in order to generate a resolution to the query, the data access module being coupled to the identification module, the data access module further adapted to substitute the resolution for the query; and

a rendering module, for dynamically rendering the resolution ~~to the query~~ as a part of the markup language, according to at least one rule associated with the markup language wherein said symbol can be used to dynamically render multiple data sets, the rendering module being coupled to the data access module.

25. (Currently Amended) The system of claim 24 wherein:

the rendering module is further for rendering the resolution of the query according to at least one rule associated with a markup language tag with which the query is associated.

26. (Original) The system of claim 24 further comprising:

a resolution generation module, for generating a resolution to the query by retrieving a node set from a set of documents in Extensible Markup Language, the resolution generation module being coupled to the data access module; and
the rendering module is further for rendering each member of the node set.

27. (Original) The system of claim 24 further comprising:

an updating module, for updating the data set, the updating module being coupled to the rendering module.

28. (Original) The system of claim 27 wherein:

the updating module is further for updating the data set by writing to a set of at least one document in Extensible Markup Language.

29. (Original) The method of claim 3 wherein:

the markup language comprises Wireless Markup Language.